

BOTOX Post-Operative Instructions

- Remain upright for 4 hours after injection (you may lie in a reclined position, just do not lay flat)
- Exaggerate facial expressions in injected areas for 1 hour after injection
- Do not wear a headband or hat where the band goes across your forehead if you have had injections between the brows or in the forehead
- Refrain from aerobic exercise that increases your heart rate greatly (running, swimming, bicycling, etc...) for 24 hours following injections. Walking or other low impact forms of exercise are fine
- Do not massage or manipulate injected areas for 24 hours after injections. Washing your face and applying make-up is fine.
- Refrain from using ibuprofen, aspirin, fish oil supplements, or vitamin E for 24 hours following injection
- If bruising appears, apply ice to area for 15 minutes every hour to decrease bruising
- The most common side effect is headache with Botox injections. You may use Tylenol to relieve this. If you are a chronic headache sufferer and have prescription headache medication, you may take it as prescribed by your doctor.
- Botox will gradually take effect over 7-10 days with optimum result at 2 weeks. If this is your first Botox injection, we recommend scheduling a follow up appointment 2 weeks after your injection.

Please call the office if you have any questions or concerns at

- (623)439-2222, Monday - Friday, 8:00 a.m. – 4:00 p.m.
- After hours and on weekends, call (623)439-2224